WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 **NONCRITICAL** 2 **TOTAL** 2

ESTABLISHMENT: Little Inn	**PERMIT NO.:**		**DATE:** 11/25/2009
ADDRESS: 418 W. King St	**CITY:** Mtbg	**STATE:** WV	**ZIP:** 25401
PERSON IN CHARGE / TITLE:		**TELEPHONE:** (304) 263-1504	
RECEIVED BY (SIGNATURE): X Edith Mellis	**SANITARIAN (SIGNATURE):** Amy Edwards AE		
INSPECTION TYPE: (ROUTINE) FOLLOW-UP COMPLAINT OTHER:			**TIME:** 11:46 AM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
			4-203.12	Ambient Temp. Measuring Devices - kitchen refrig thermometer not accurate(reading 25/mustard 39)	
			6-501.12	Cleaning, Frequency/Restrictions - restroom floor perimeters need cleaned	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM