WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 **NONCRITICAL** 0 **TOTAL** 0

ESTABLISHMENT: Martinsburg Diner **PERMIT NO.:** **DATE:** 12/11/2009

ADDRESS: 268 Mid Atlantic Parkway **CITY:** Martinsburg **STATE:** WV **ZIP:** 25404

PERSON IN CHARGE / TITLE: Richard C. Thorp pres. **TELEPHONE:** (304) 262-9933

RECEIVED BY (SIGNATURE): Richard C. Thorp **SANITARIAN (SIGNATURE):** J. Beamer / K. Allison

INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT (OTHER:) Opening **TIME:** 01:48 PM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
				Fix hole in wall in dry storage so that it is smooth and easy to clean	
				Steam table must be fixed or removed within the month.	
				Front counter and kitchen counters must be smooth and easy to clean.	
				Notes: All noted violations must be fixed by first inspection	
				Still need a menu for establishment.	
				May fax to 263-1067or bring to 800 Emmit Roucsh Dr.	
				May revoke permit upon department recept of menu.	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM