WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 **NONCRITICAL** 3 **TOTAL** 3

ESTABLISHMENT: J&T Bar and Grill **PERMIT NO.:** **DATE:** 12/15/2009

ADDRESS: 6332 Winchester Ave. **CITY:** Inwood **STATE:** WV **ZIP:** 25428

PERSON IN CHARGE / TITLE: Lisa Kunzler/Bartender **TELEPHONE:** (304) 229-3731

RECEIVED BY (SIGNATURE): Lisa D Kunzler **SANITARIAN (SIGNATURE):** Jennifer Beamer

INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: **TIME:** 01:20 PM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
			6-501.11	Repairing - Ceiling in poor repair	
			4-602.13	Nonfood-Contact Surfaces - Gasket on walk-in needs replaced	
	X		5-203.13	Service Sink - Need a mop sink must have hot and cold water	
				Notes:	
				All violations left on re-inspection must be corrected by next inspection.	
				$25 re-inspection fee	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM
Prep Unit	40° F	Walk-in	41°F	Pepsi	40° F		