WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 1 **NONCRITICAL** 16 **TOTAL** 17

ESTABLISHMENT: Taco Bell	**PERMIT NO.:**		**DATE:** 12/15/2009
ADDRESS: 1020 Foxcroft Ave	**CITY:** Martinsburg	**STATE:** WV	**ZIP:** 25401
PERSON IN CHARGE / TITLE: Sandra McPhee		**TELEPHONE:** (304) 264-9161	
RECEIVED BY (SIGNATURE): Sandra McPhee	**SANITARIAN (SIGNATURE):** Jennifer Beamer JB		
INSPECTION TYPE: (ROUTINE) FOLLOW-UP COMPLAINT OTHER:			**TIME:** 03:06 PM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
		X	6-501.16	Drying Mops - Do not store mop in used mop water	
			6-501.11	Repairing - Mop sink faucet out of order	
		X	6-501.113	Storing Maintenance Tools - Mop water must be dumped after use	
			6-501.11	Repairing - Floor tiles cracked.	
			6-501.12	Cleaning, Frequency/Restrictions - Light shields need cleaned	
			6-501.11	Repairing - Prep sink drain line leaking	
	X		6-501.11	Repairing - Coving loose from wall through building	
			4-602.13	Nonfood-Contact Surfaces - Walk-in walls and fan covers need cleaned	
X			4-602.11	Food-Contact Surfaces and Utensils* - Walk-in shelving needs cleaned	
			4-501.11	Good Repair and Proper Adjustment - Ice build-up on walk-in freezer	
			4-602.13	Nonfood-Contact Surfaces - Floor in walkin freezer needs cleaned	
			6-501.11	Repairing - Bottom of door frame of walk-in freezer in poor repair	
		X	5-205.11	Handwashing Sink - Water too hot at hand sinks	
			4-501.11	Good Repair and Proper Adjustment - Fix or remove broken hotbox	
	X		4-501.11	Good Repair and Proper Adjustment - Fix or remove cold line unit	
	X		6-501.11	Repairing - Front-counter in poor repair	
			6-501.11	Repairing - Facing coming off self serve drink area	
				Notes:	
				Will re-inspect after one month.	
				All violations must be corrected.	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM
Walk-in	38°F	Prep Unit	38°F	Hot holds	140°F	Hot Box	150°F