WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 3 **NONCRITICAL** 4 **TOTAL** 7

ESTABLISHMENT: Spring House	**PERMIT NO.:**	**DATE:** 12/16/2009
ADDRESS: 77 Edith Lane	**CITY:** Hedgesville **STATE:** WV	**ZIP:** 25427
PERSON IN CHARGE / TITLE: Suzanne Riffe Res. Manager		**TELEPHONE:** (304) 754-3667
RECEIVED BY (SIGNATURE): Suzanne Riffe	**SANITARIAN (SIGNATURE):** Amy Edwards	
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT (OTHER:) routine-Group Home		**TIME:** 11:01 AM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
	X		6-501.11	Repairing - area behind sink in poor repair	
X			4-601.11	Clean Sight/Touch-No Accum/Encrust.* - refrig/freezer needs cleaned thoroughly(shelving in door)	
			6-501.12	Cleaning, Frequency/Restrictions - front vent on refrig needs cleaned	
			6-501.14	Clean. Vent. Sys., Prev. Discharge - stove hood needs cleaned, then possibly painted	
			6-501.11	Repairing - inside cabinets beneath stove in poor repair/need cleaned	
X			4-601.11	Clean Sight/Touch-No Accum/Encrust.* - silverware tray needs cleaned	
X			4-602.11	Food-Contact Surfaces and Utensils* - hand mixer needs cleaned	
				*quat test strips on order	
				5 residents	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM