WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 1 **NONCRITICAL** 6 **TOTAL** 7

ESTABLISHMENT: Hoffmaster House I	**PERMIT NO.:**	**DATE:** 12/16/2009
ADDRESS: ~~292~~ 312 Lutz Ave	**CITY:** Mtbg **STATE:** WV	**ZIP:** 25404
PERSON IN CHARGE / TITLE: Suzanne Riffe	**TELEPHONE:** (304) 264-2348	
RECEIVED BY (SIGNATURE): Suzanne Riffe	**SANITARIAN (SIGNATURE):** Amy Edwards	
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT (OTHER:) routine-Group Home	**TIME:** 10:20 AM	

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
			4-602.13	Nonfood-Contact Surfaces - pantry-bottom 2 shelves need cleaned & floor	
			6-501.11	Repairing - caulk needs replaced behind sink	
			4-203.11	Food Temperature Measuring Devices - probe thermometer needs calibrated	
	X		4-602.13	Nonfood-Contact Surfaces - inside cabinets need cleaned: beneath sink & those holding equipment	
X			4-602.11	Food-Contact Surfaces and Utensils* - electric can opener needs cleaned	
			6-501.11	Repairing - front vent of refrigerator needs to be attached	
			4-602.13	Nonfood-Contact Surfaces - outside of small food processor needs cleaned(stored above stove)	
				*quat test strips on order	
				5 residents	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM
refrig	34						