WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 **NONCRITICAL** 3 **TOTAL** 3

ESTABLISHMENT: Cracker Barrel	**PERMIT NO.:**	**DATE:** 12/17/2009
ADDRESS: 725 Foxcroft Ave	**CITY:** Martinsburg **STATE:** WV	**ZIP:** 25401
PERSON IN CHARGE / TITLE: Dennis Jones		**TELEPHONE:** (304) 262-3660
RECEIVED BY (SIGNATURE):	**SANITARIAN (SIGNATURE):** Jennifer Beamer	
INSPECTION TYPE: ROUTINE (FOLLOW-UP) COMPLAINT OTHER:		**TIME:** 02:23 AM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
			4-501.11	Good Repair and Proper Adjustment - Ice build up in freezer walk in	
	X		4-602.13	Nonfood-Contact Surfaces - Floor in freezer walk-in needs cleaned and floor tile needs repaired	
		X	4-501.11	Good Repair and Proper Adjustment - Finish peeling off of bowl cart	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM