WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 5 NONCRITICAL 14 15 TOTAL 20

ESTABLISHMENT: J&T Bar and Grill	PERMIT NO.:		DATE: 12/1/2009
ADDRESS: 6332 Winchester Ave.	CITY: Inwood	STATE: WV	ZIP: 25428
PERSON IN CHARGE / TITLE: LISA KUNZLER/BARTENDER		TELEPHONE: (304) 229-3731	
RECEIVED BY (SIGNATURE):	SANITARIAN (SIGNATURE): Jennifer Beamer		
INSPECTION TYPE: (ROUTINE) FOLLOW-UP COMPLAINT OTHER:		TIME: 03:03 PM	

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
			3-501.13	Thawing - Do not thaw meat at room temperature	
			6-501.11	Repairing - Ceiling in poor repair	
X			4-602.11	Food-Contact Surfaces and Utensils* - Utensil drawers need cleaned	
	X		4-501.11	Good Repair and Proper Adjustment - Chest freezer needs defrosted	
	X		6-202.11	Light Bulbs, Protective Shielding - Need light shield in kitchen	
			5-205.11	Handwashing Sink - Hand sink leaking	only handsink
X	X		3-501.17	Ready-to-Eat Food, Dating* - Cheese must be date marked	
			2-301.15	Where to Wash - Employees may not wash hands at three bat sinks	
			4-501.12	Cutting Surfaces - Cutting boards need replaced	
			4-602.13	Nonfood-Contact Surfaces - Need to clean sides of cooking equipment	
X			4-202.11	Food-Contact Surfaces* - Do not reuse bread bags for other foods	
X			4-602.11	Food-Contact Surfaces and Utensils* - Pepsi fridge needs cleaned	
			4-602.13	Nonfood-Contact Surfaces - Gasket on walk-in needs cleaned and replaced	
X	X		4-602.11	Food-Contact Surfaces and Utensils* - Ice machine needs cleared	
		X	4-204.112	Temperature Measuring Devices - Need a thermometer in beer fridge for fruit	moved fruit
X			3-501.17	Ready-to-Eat Food, Dating* - Cut fruit must be date market	
			6-501.11	Repairing - Water leak ~~over~~ deck ice chest	
	X		5-203.13	Service Sink - Need a mop sink	
	X		6-501.11	Repairing - Linoleum in men's bathroom in poor repair	
	X		4-302.14	Sanitizing Solution Testing Devices - Need sanitizer test strips for quaternary sanitizer	
				Notes:	
				Will re-inspect with 10 days. All critical violations and cleaning issues must be corrected at that time.	
				3 months to correct maintenance issues due to number of repeats and time allowed for those corrections previou	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM
Prep Unit	40° F	Walk-in	41°F	Pepsi	40° F		