WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 4 **NONCRITICAL** 14 **TOTAL** 18

ESTABLISHMENT: Ryan's	**PERMIT NO.:**	**DATE:** 12/1/2009
ADDRESS: 925 Foxcroft	**CITY:** Martinsburg **STATE:** WV	**ZIP:** 25401
PERSON IN CHARGE / TITLE: X Chris Tolliver GM		**TELEPHONE:** (304) 260-0067
RECEIVED BY (SIGNATURE): X C. Tolliver	**SANITARIAN (SIGNATURE):** A. Edwards / J. Beamer	
INSPECTION TYPE: ROUTINE (FOLLOW-UP) COMPLAINT OTHER:		**TIME:** 10:58 PM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
	X		4-602.13	Nonfood-Contact Surfaces - Need to clean under side of sneeze guard and dust lights on dessert bar	
	X		4-602.13	Nonfood-Contact Surfaces - Lights over hot bars need cleaned	
	X		4-602.13	Nonfood-Contact Surfaces - Sides of waffle iron stored under prep tableneed cleaned	
X	X	X	4-602.11	Food-Contact Surfaces and Utensils* - Grill tongs need cleaned better inside the handles	
	X		4-602.13	Nonfood-Contact Surfaces - Clean gaskets on pizza prep unit	
	X		4-501.11	Good Repair and Proper Adjustment - Ice buildup behind freezer fan grill	
X	X		4-602.11	Food-Contact Surfaces and Utensils* - Walk-in shelving needs cleaned.	
	X		6-501.12	Cleaning, Frequency/Restrictions - Door in chicken room needs cleaned and painted	
	X		6-501.12	Cleaning, Frequency/Restrictions - Floor drains need cleaned	
X	X	X	4-602.11	Food-Contact Surfaces and Utensils* - food processor blades stored not clean	
	X		6-501.11	Repairing - Dry storage shelving needs replaced (flour)	
	X		6-501.11	Repairing - Employee restroom wall needs patched	
	X		5-501.17	Toilet Room Receptacle, Covered - Covered trash can needed in employee restroom	
	X		6-501.12	Cleaning, Frequency/Restrictions - Dish room splash area needs cleaned	
	X		6-501.12	Cleaning, Frequency/Restrictions - Ceiling tiles need cleaned in dish room	
X	X	X	4-602.11	Food-Contact Surfaces and Utensils* - Bottom of salad dish dolly needs cleaned	
	X		4-602.13	Nonfood-Contact Surfaces - Hot boxes need cleaned on outside	
	X		6-501.18	Cleaning of Plumbing Fixtures - Hand sink frame outside of dish room needs secured to the floor	
				Notes:	
				$25 re-inspection fee	
				Establishment did not correct violations in agreed upon time frame.	
				Establishment not demonstrating knowledge in regards to food code.	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM

WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 4 **NONCRITICAL** 14 **TOTAL** 18

ESTABLISHMENT: Ryan's	**PERMIT NO.:**	**DATE:** 12/1/2009
ADDRESS: 925 Foxcroft	**CITY:** Martinsburg **STATE:** WV	**ZIP:** 25401
PERSON IN CHARGE / TITLE:	**TELEPHONE:** (304) 260-0067	
RECEIVED BY (SIGNATURE):	**SANITARIAN (SIGNATURE):** A. Edwards / J. Beamer	
INSPECTION TYPE: ROUTINE (FOLLOW-UP) COMPLAINT OTHER:	**TIME:** 10:58 PM	

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
				Suggest reviewing past inspections and focusing on repeat violations.	
				Excessive critical violations on future inspections will not be acceptable.	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM