

WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT



Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 2 NONCRITICAL 4 TOTAL 6

ESTABLISHMENT: Moose Lodge	PERMIT NO.:	DATE: 12/4/2009
ADDRESS: 201 Woodbury Ave	CITY: Mtbg	STATE: WV ZIP: 25401
PERSON IN CHARGE / TITLE: <i>x Alexandra Campbell</i>		TELEPHONE: (304) 267-8471
RECEIVED BY (SIGNATURE): <i>x Alexandra Campbell</i>		SANITARIAN (SIGNATURE): Amy Edwards <i>AE</i>
INSPECTION TYPE: ROUTINE <u>FOLLOW-UP</u> COMPLAINT OTHER:		TIME: 10:25 AM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
	X		6-501.12	Cleaning, Frequency/Restrictions - beer walkin shelving, floor, walls need cleaned	
	X		4-204.112	Temperature Measuring Devices - bar room off kitchen-thermometer needed	for cooler holding milk
X	X		4-203.11	Food Temperature Measuring Devices - dishmachine not sanitizing	
	X		6-501.11	Repairing - banquet area-men's restroom blue dividers need painted(rusty)	
	X		6-501.11	Repairing - banquet area-women's restroom toilet needs secured to floor(first stall)-out of order sign on door	
X	X		4-702.11	Frequency-Before Use After Cleaning* - sanitizer needed at all bars	on order
				*Dishmachine not dispensing sanitizer properly	
				Needs to be repaired for use or replaced	
				No glasses should be washed in it until it is repaired(use Mountaineer machine)	
				\$25. reinspection fee	
				*Will reinspect in 2 weeks and all violations need to be corrected	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM