WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 **NONCRITICAL** 3 **TOTAL** 3

ESTABLISHMENT: Hilltop Cafe'	**PERMIT NO.:**		**DATE:** 12/15/2009
ADDRESS: 3695 Williamsport Pike	**CITY:** Martinsburg	**STATE:** WV	**ZIP:** 25404
PERSON IN CHARGE / TITLE: Betty Ebbess		**TELEPHONE:** (042) 642-045	
RECEIVED BY (SIGNATURE):		**SANITARIAN (SIGNATURE):** Keith Allison	
INSPECTION TYPE: (ROUTINE) FOLLOW-UP COMPLAINT OTHER:			**TIME:** 10:45 ~~PM~~ AM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
			6-501.11	Repairing - Light shield needed in men's bathroom.	
			4-402.11	Fixed Equipment, Spacing/Sealing - Boxes need stored 6 inches above floor. (not directly on floor)	
		X	6-501.15	Clean. Maint. Tools, Prev. Contam.* - Vents in game room need cleaned	

COPY

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM