WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 4 **NONCRITICAL** 5 **TOTAL** 9

ESTABLISHMENT: Daily Grind **PERMIT NO.:** **DATE:** 1/5/2010

ADDRESS: 121 Administrative Dr. **CITY:** Martinsburg **STATE:** WV **ZIP:** 25404

PERSON IN CHARGE / TITLE: James Brinkley **TELEPHONE:** (304) 262-9910

RECEIVED BY (SIGNATURE): X Roberta L Lesso **SANITARIAN (SIGNATURE):** Cara N. Harding RS CNH

INSPECTION TYPE: (ROUTINE) FOLLOW-UP COMPLAINT OTHER: **TIME:** 02:05 PM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
	X		6-501.12	Cleaning, Frequency/Restrictions - Freezer floor needs cleaned	
	X		6-501.12	Cleaning, Frequency/Restrictions - Clean drain under 3 bay sink	
X			4-501.114	Chem.San., Temp./pH/Concentr./Hard.* - Sanitizer too strong in sanitizer bucket	
X			4-601.11	Clean Sight/Touch-No Accum/Encrust.* - Large utensil bins need cleaned inside (under prep table)	
			4-502.11	Good Repair and Calibration - 2 Probe thermometers need calibrated	
X			3-501.16	Hot and Cold Holding* - Bistro sauce 50°; Bals. Vingrette 45° need to check unit	
			4-204.112	Temperature Measuring Devices - Need thermometer in front refrigerator (coffee brewing area)	
X			4-601.11	Clean Sight/Touch-No Accum/Encrust.* - Ice scoop bin not clean	
	X		4-501.11	Good Repair and Proper Adjustment - Mop heads in poor repair	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM
Refrigerator	31°	Prep unit	50° scan	Frig (half)	34°		