WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 1 **NONCRITICAL** 2 **TOTAL** 3

ESTABLISHMENT: Penn Bar & Grill **PERMIT NO.:** **DATE:** 1/6/2010

ADDRESS: 1832 Winchester Ave. **CITY:** Martinsburg **STATE:** WV **ZIP:** 25405

PERSON IN CHARGE / TITLE: Kenda Butts Mngr **TELEPHONE:** (304) 264-0074

RECEIVED BY (SIGNATURE): Kenda Butts **SANITARIAN (SIGNATURE):** Jennifer Beamer

INSPECTION TYPE: (ROUTINE) FOLLOW-UP COMPLAINT OTHER: **TIME:** 03:38 PM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
			4-602.13	Nonfood-Contact Surfaces - Frigidaire freezer needs cleaned no food.	
X		X	3-501.17	Ready-to-Eat Food, Dating* - Cut produce and cube cheese must be date marked (red cabage)	
			4-501.11	Good Repair and Proper Adjustment - Ice build-up in bottom of frigidaire upright freezer	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM
Frigidaire	41°F	Master Bilt	38°F	Top Prep	41° F	Glass door fridge	40°F