WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 2 **NONCRITICAL** 1 **TOTAL** 3

ESTABLISHMENT: Bob's Carryout	**PERMIT NO.:**	**DATE:** 1/8/2010
ADDRESS: 130 N Raleigh St	**CITY:** Mtbg **STATE:** WV	**ZIP:** 25401
PERSON IN CHARGE / TITLE: Robert N Widmeyer II	**TELEPHONE:** (304) 263-1191	
RECEIVED BY (SIGNATURE): Robert N Widmeyer II	**SANITARIAN (SIGNATURE):** Amy Edwards	
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT (OTHER:) follow-up-food	**TIME:** 02:17 PM	

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
X	X	X	4-501.114	Chem.San., Temp./pH/Concentr./Hard.* - bleach spray bottle concentration too strong-200+ppm	
				Keep wiping rags in sanitizer water in between uses-change water every 4 hrs or when soiled	
X	X		3-501.17	Ready-to-Eat Food, Dating* - All food kept over 24 hrs must be date marked	i.e.cheese, ham, ribs, lettuce
	X		6-501.11	Repairing - restroom-stained ceiling tiles need replaced	
				Reinspection fee - $25	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM

WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 **NONCRITICAL** 0 **TOTAL** 0

ESTABLISHMENT: Bob's Carryout	**PERMIT NO.:**	**DATE:** 1/8/2010
ADDRESS: 130 N Raleigh St	**CITY:** Mtbg **STATE:** WV	**ZIP:** 25401
PERSON IN CHARGE / TITLE: X Robert N. Widmeyer II	**TELEPHONE:** (304) 263-1191	
RECEIVED BY (SIGNATURE): X Robert N. Widmeyer II	**SANITARIAN (SIGNATURE):** Amy Edwards AE	
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT (OTHER:) follow-up-retail	**TIME:** 02:18 PM	

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
				All violations corrected	

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM