WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Berkeley HEALTH DEPARTMENT

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for noncritical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 **NONCRITICAL** 0 **TOTAL** 0

ESTABLISHMENT: Blue Ridge CTC	**PERMIT NO.:**	**DATE:** 1/11/2010
ADDRESS: 5550 Winchester Ave	**CITY:** Martinsburg **STATE:** WV	**ZIP:** 25405
PERSON IN CHARGE / TITLE: Steven Weiss		**TELEPHONE:** (304) 260-4380 x2408
RECEIVED BY (SIGNATURE): [signature]	**SANITARIAN (SIGNATURE):** Amy Edwards	
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT (OTHER:) opening		**TIME:** 09:59 AM

Critical	Repeat	Corrected	Code Reference	Violation Description / Remarks / Corrections	Comment
				*be sure dishmachine wash dial reaches 150...180 reached on rinse	
				*need pest control contract by 1st month inspection	
				*need final surface cleaning	
				*finish shelving installation	
				Kitchen may open & operate once above items are completed	
				Permit may be given once payment received	
				Inspection one month after opening and every 6 months thereafter	

[redacted]

170°F 77°C

Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM	Unit / Location / Item	Temp / PPM
3 bay quat	250 ppm	bucket	200 ppm	Victory refrig	40	Victory refrig	40
prep unit	32	display	40	quat allowed 150-400 ppm			